

Health Office - Rambam Mesivta

Vaccine Administration Record for Children & Teens

2023 - 2024

Patient name _____

Birthdate _____ Chart number _____

PRACTICE NAME AND ADDRESS

Before administering any vaccines, give copies of all pertinent Vaccine Information Statements (VISs) to the child's parent or legal representative and make sure he/she understands the risks and benefits of the vaccine(s). Always provide or update the patient's personal record card.

Vaccine	Type of Vaccine ¹	Date vaccine given (mo/day/yr)	Funding Source (F,S,P) ²	Site ³	Vaccine		Vaccine Information Statement (VIS)		Vaccinator ⁵ (signature or initials and title)
					Lot #	Mfr.	Date on VIS ⁴	Date given ⁴	
Hepatitis B⁶ (e.g., HepB, Hib-HepB, DTaP-HepB-IPV) Give IM. ⁷									
Diphtheria, Tetanus, Pertussis⁶ (e.g., DTaP, DTaP/Hib, DTaP-HepB-IPV, DT, DTaP-IPV/Hib, DTaP-IPV, Tdap, Td) Give IM. ⁷									
Haemophilus influenzae type b⁶ (e.g., Hib, Hib-HepB, DTaP-IPV/Hib, DTaP/Hib, Hib-MenCY) Give IM. ⁷									
Polio⁶ (e.g., IPV, DTaP-HepB-IPV, DTaP-IPV/Hib, DTaP-IPV) Give IPV Subcut or IM. ⁷ Give all others IM. ⁷									
Pneumococcal (e.g., PCV7, PCV13, conjugate; PPSV23, polysaccharide) Give PCV IM. ⁷ Give PPSV Subcut or IM. ⁷									
Rotavirus (RV1, RV5) Give orally (po).									

▶ See page 2 to record measles-mumps-rubella, varicella, hepatitis A, meningococcal, HPV, influenza, and other vaccines (e.g., travel vaccines).

How to Complete this Record

1. Record the generic abbreviation (e.g., Tdap) or the trade name for each vaccine (see table at right).
2. Record the funding source of the vaccine given as either F (federal), S (state), or P (private).
3. Record the site where vaccine was administered as either RA (right arm), LA (left arm), RT (right thigh), LT (left thigh), or NAS (intranasal).
4. Record the publication date of each VIS as well as the date the VIS is given to the patient.
5. To meet the space constraints of this form and federal requirements for documentation, a healthcare setting may want to keep a reference list of vaccinators that includes their initials and titles.
6. For combination vaccines, fill in a row for each antigen in the combination.
7. IM is the abbreviation for intramuscular; Subcut is the abbreviation for subcutaneous.

Abbreviation	Trade Name and Manufacturer
DTaP	Daptacel (Sanofi Pasteur); Infanrix (GlaxoSmithKline [GSK]); Tripedia (Sanofi Pasteur)
DT (pediatric)	Generic (Sanofi Pasteur)
DTaP-HepB-IPV	Pediarix (GSK)
DTaP-IPV/Hib	Pentacel (Sanofi Pasteur)
DTaP-IPV	Kinrix (GSK); Quadracel (Sanofi Pasteur)
HepB	Engerix-B (GSK); Recombivax HB (Merck)
HepA-HepB	Twinrix (GSK); can be given to teens age 18 and older
Hib	ActHIB (Sanofi Pasteur); Hiberix (GSK); PedvaxHIB (Merck)
Hib-MenCY	MenHibrix (GSK)
IPV	Ipol (Sanofi Pasteur)
PCV13	Prennar 13 (Pfizer)
PPSV23	Pneumovax 23 (Merck)
RV1	Rotarix (GSK)
RV5	RotaTeq (Merck)
Tdap	Adacel (Sanofi Pasteur); Boostrix (GSK)
Td	Decavac, Tenivac (Sanofi Pasteur); Generic (MA Biological Labs)

Health Office -Rambam Mesivta

Vaccine Administration Record for Children & Teens (Continued)

Patient name _____

Birthdate _____ Chart number _____

PRACTICE NAME AND ADDRESS

Before administering any vaccines, give copies of all pertinent Vaccine Information Statements (VISs) to the child's parent or legal representative and make sure he/she understands the risks and benefits of the vaccine(s). Always provide or update the patient's personal record card.

Vaccine	Type of Vaccine ¹	Date vaccine given (mo/day/yr)	Funding Source (F,S,P) ²	Site ³	Vaccine		Vaccine Information Statement (VIS)		Vaccinator ⁵ (signature or initials and title)
					Lot #	Mfr.	Date on VIS ⁴	Date given ⁴	
Measles, Mumps, Rubella⁶ (e.g., MMR, MMRV) Give Subcut. ⁷									
Varicella⁶ (e.g., VAR, MMRV) Give Subcut. ⁷									
Hepatitis A (HepA) Give IM. ⁷									
Meningococcal ACWY; CY (e.g., MenACWY [MCV4]; Hib-MenCY) Give MenACWY and Hib-MenCY IM. ⁷									
Meningococcal B (e.g., MenB) Give MenB IM. ⁷									
Human papillomavirus (e.g., HPV2, HPV4, HPV9) Give IM. ⁷									
Influenza (e.g., IIV3, IIV4, ccIIV3, RIV3, LAIV4) Give IIV3, IIV4, ccIIV3, and RIV3 IM. ⁷ Give LAIV4 NAS. ⁷									
Other									

► See page 1 to record hepatitis B, diphtheria, tetanus, pertussis, *Haemophilus influenzae* type b, polio, pneumococcal, and rotavirus vaccines.

How to Complete this Record

- Record the generic abbreviation (e.g., Tdap) or the trade name for each vaccine (see table at right).
- Record the funding source of the vaccine given as either F (federal), S (state), or P (private).
- Record the site where vaccine was administered as either RA (right arm), LA (left arm), RT (right thigh), LT (left thigh), or NAS (intranasal).
- Record the publication date of each VIS as well as the date the VIS is given to the patient.
- To meet the space constraints of this form and federal requirements for documentation, a healthcare setting may want to keep a reference list of vaccinators that includes their initials and titles.
- For combination vaccines, fill in a row for each antigen in the combination.
- IM is the abbreviation for intramuscular; Subcut is the abbreviation for subcutaneous.

Abbreviation	Trade Name and Manufacturer
MMR	MMRII (Merck)
VAR	Varivax (Merck)
MMRV	ProQuad (Merck)
HepA	Havrix (GlaxoSmithKline [GSK]); Vaqta (Merck)
HepA-HepB	Twinrix (GSK)
HPV2	Cervarix (GSK)
HPV4, HPV9	Gardasil, Gardasil 9 (Merck)
LAIV4 (live attenuated influenza vaccine, quadrivalent)	FluMist (MedImmune)
IIV3 (inactivated influenza vaccine, trivalent), IIV4 (inactivated influenza vaccine, quadrivalent), ccIIV3 (cell culture-based inactivated influenza vaccine, trivalent), RIV3 (inactivated recombinant influenza vaccine, trivalent)	Fluarix (GSK); Flublok (Protein Sciences Corp.); Afluria, Flud, Flucelvax, Fluvirin (Seqirus); FluLaval (GSK); Fluzone (Sanofi Pasteur)
MenACWY	Menactra (Sanofi Pasteur); Menveo (GSK)
HibMenCY	MenHibrix (GSK)
MenB	Bexsero (GSK); Trumenba (Pfizer)